

Mouse Function Calls

This section reflects the Mouse API interface of OS/2 only.

For information regarding mouse device drivers, mouse pointer draw device, mouse installation and mouse IOCTLs, refer to IBM Operating System/2 Version 1.2 I/O Subsystems And Device Support Volume 1.

Notes:

- Calls marked xWPM are not windowable and are not supported by Presentation Manager. They can be used in OS/2 mode.
- Calls marked FAPI are present in the Family API.
- Calls marked xPM are not supported by Presentation Manager, and must not be used by Presentation Manager applications. An error code is returned if any of these calls are issued.

#	FUNCTION CALL	ICON	#	FUNCTION CALL	ICON
1	MouClose	xPM	13	MouInitReal	xWPM
2	MouDeRegister	xWPM	14	MouOpen	xPM
3	MouDrawPtr	xPM	15	MouReadEventQue	xPM
4	MouFlushQue	xPM	16	MouRegister	xWPM
5	MouGetDevStatus	xPM	17	MouRemovePtr	xPM
6	MouGetEventMask	xPM	18	MouSetDevStatus	xPM
7	MouGetNumButtons	xPM	19	MouSetEventMask	xPM
8	MouGetNumMickeys	xPM	20	MouSetPtrPos	xPM
9	MouGetNumQueEl	xPM	21	MouSetPtrShape	xPM
10	MouGetPtrPos	xPM	22	MouSetScaleFact	xPM
11	MouGetPtrShape	xPM	23	MouSynch	xWPM
12	MouGetScaleFact	xPM			

From:

<https://osfree.org/doku/> - **osFree wiki**

Permanent link:

<https://osfree.org/doku/doku.php?id=en:ibm:prcp:mou>

Last update: **2016/02/04 02:40**

