

MouSynch

Bindings: C, MASM

This call provides synchronous access for a mouse subsystem to the mouse device driver.

MouSynch (IOWait)

IOWait (**USHORT**) - input Wait for access. The flag Word is defined as follows:

Value	Definition
0	Control immediately returned to requestor.
1	Requestor waits until mouse device driver is free.

rc (**USHORT**) - return Return code descriptions are:

0	NO_ERROR
121	ERROR_SEM_TIMEOUT

Remarks

[MouSynch](#) blocks all other threads within a session until the semaphore clears (returns from the subsystem to the router). To ensure proper synchronization, [MouSynch](#) should be issued by a mouse subsystem if it intends to access dynamically modifiable shared data for each session or if it intends to issue a [DosDevIOctl](#). [MouSynch](#) does not protect globally shared data from threads in other sessions.

C bindings

```
#define INCL_MOU

USHORT rc = MouSynch(IOWait);

USHORT          IOWait;          /* Indicate wait/no wait */

USHORT          rc;              /* return code */
```

MASM bindings

```
EXTRN MouSynch:FAR
INCL_MOU EQU 1

PUSH WORD IOWait ;Indicate wait/no wait
CALL MouSynch

Returns WORD
```

From:

<http://185.82.219.184/doku/> - **osFree wiki**

Permanent link:

<http://185.82.219.184/doku/doku.php?id=en:ibm:prcp:mou:synch>

Last update: **2016/09/15 04:53**

