



This is part of **Family API** which allow to create dual-os version of program runs under OS/2 and DOS

Note: This is legacy API call. It is recommended to use 32-bit equivalent

2021/09/17 04:47 · prokushev · [0 Comments](#)

2021/08/20 03:18 · prokushev · [0 Comments](#)

DosGetShrSeg

This call accesses a shared memory segment previously allocated by another process.

Syntax

```
DosGetShrSeg (Name, Selector)
```

Parameters

- Name ([PSZ](#)) - input : Address of the name string associated with the shared memory segment to be accessed. The name is an ASCIIZ string in the format of an OS/2 filename in a subdirectory called \SHAREMEM\, for example, \SHAREMEM\PUBLIC.DAT.
- Selector ([PSEL](#)) - output : Address of the selector for the shared memory segment.

Return Code

rc ([USHORT](#)) - return: Return code

- 0 NO_ERROR
- 2 ERROR_FILE_NOT_FOUND
- 4 ERROR_TOO_MANY_OPEN_FILES
- 123 ERROR_INVALID_NAME

Remarks

DosGetShrSeg provides access to a named shared segment allocated by another process with [DosAllocShrSeg](#). The selector returned by DosGetShrSeg is the same as the one returned by the [DosAllocShrSeg](#) call.

A usage count is maintained for a named shared segment. Issuing DosGetShrSeg increments the count, and issuing [DosFreeSeg](#) decrements the count. When the usage count equals zero, the named shared segment is deallocated. Once the segment has been deallocated, it must be reinitialized by a

call to [DosAllocShrSeg](#).

To access shared memory that is allocated by another process with [DosAllocSeg](#) and [DosAllocHuge](#) requests, a process issues [DosGetSeg](#).

Bindings

C

```
#define INCL_DOSMEMMGR

USHORT rc = DosGetShrSeg(Name, Selector);

PSZ     Name;           /* Name string */
PSEL     Selector;       /* Selector of shared segment */

USHORT rc;              /* return code */
```

MASM

```
EXTRN DosGetShrSeg:FAR
INCL_DOSMEMMGR EQU 1

PUSH@ ASCIIZ Name           ;Name string
PUSH@ WORD Selector         ;Selector of shared segment (returned)
CALL DosGetShrSeg
```

Returns **WORD**

Family API

DOS	Process Manager	DosBeep DosExit DosSleep DosExecPgm
	File Manager	DosChDir DosChgFilePtr DosClose DosDelete DosDupHandle DosMkDir DosMove DosQCurDir DosQCurDisk DosSetFileMode DosOpen DosQFileInfo DosRead DosQFileMode DosQFSInfo DosQVerify DosRmDir DosSelectDisk DosFindClose DosFindFirst DosFindNext DosSetFileInfo DosSetVerify DosWrite DosFileLocks DosSetFHandState DosNewSize DosBufReset DosQFHandState DosSetFSinfo
	Memory Manager	DosFreeSeg DosSubAlloc DosSubFree DosSubSet DosAllocHuge DosAllocSeg DosReallocHuge DosReallocSeg DosGetHugeShift DosCreateCSAlias
	NLS	DosCaseMap DosGetCtryInfo DosGetDBCSEv DosSetCtryCode DosGetCollate DosGetMessage DosInsMessage DosPutMessage
	Date and Time	DosSetDateTime DosGetDateTime
	Devices	DosDevConfig DosDevIOCtl DosDevIOCtl2
	Signals	DosHoldSignal DosSetSigHandler
	Misc	BadDynLink DosGetEnv DosGetMachineMode DosGetVersion DosError DosErrClass DosSetVec

Family API	
KBD	KbdCharIn KbdFlushBuffer KbdGetStatus KbdSetStatus KbdStringIn KbdPeek
VIO	VioGetBuf VioGetConfig VioGetCurPos VioGetCurType VioGetPhysBuf VioReadCellStr VioReadCharStr VioScrollUp VioScrollDn VioScrollLf VioScrollRt VioScrUnLock VioSetCurPos VioSetCurType VioSetMode VioGetMode VioShowBuf VioWrtCellStr VioWrtCharStr VioWrtCharStrAtt VioWrtNAttr VioWrtNCell VioWrtNChar VioWrtTTY VioScrLock VioPopUp
Tools	BIND
Modules	DOSCALLS.DLL VIOCALLS.DLL KBDSCALLS.DLL MSG.DLL
Libraries	API.LIB OS2386.LIB FAPI.LIB DOSCALLS.LIB SUBCALLS.LIB

2018/08/25 15:05 · prokushev · [0 Comments](#)

From:

<https://ftp.osfree.org/doku/> - **osFree wiki**

Permanent link:

<https://ftp.osfree.org/doku/doku.php?id=en:docs:fapi:dosgetshrseg>

Last update: **2021/09/16 15:00**

